

PRODUCT CATALOG 2024





TABLE OF CONTENTS

2 Testing Info

6 Kyorene®

29 Kyorene® Pro

61 Taeki5®

76 Basetek®

95 Extraflex®

120 Chemiflex

122 Duty

131 Perfotek®

133 Extraflex® Plus

147 Kyorene® Pro
Food Safe

153 Sizing Chart

154 Index

GUIDE TO ANSI CUT LEVELS



200-499 Grams to Cut
Light Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Light Manufacturing,
Maintenance, Warehousing, Landscaping



3000-3999 Grams to Cut
High Cut Hazards

APPLICATIONS:
Metal Fabrication, Metal Stamping, Steel Processing,
Steel Handling, Recycling



500-999 Grams to Cut
Light Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing,
Sheet Metal Handling, Construction



4000-4999 Grams to Cut
High Cut Hazards

APPLICATIONS:
Metal Fabrication, Metal Stamping, Steel Processing,
Steel Handling, Recycling



1000-1499 Grams to Cut
Light/Medium Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing,
Metal Stamping, Sheet Metal Handling, Construction



5000-5999 Grams to Cut
High Cut Hazards

APPLICATIONS:
Pulp and Paper, Demolition, Construction



1500-2199 Grams to Cut
Medium Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing,
Metal Stamping, Sheet Metal Handling, Construction,
Extruded Plastics



6000+ Grams to Cut
High Cut Hazards

APPLICATIONS:
Pulp and Paper, Demolition, Construction




2200- 2999 Grams to Cut
Medium Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing,
Metal Stamping, Sheet Metal Handling, Construction,
Extruded Plastics

ANSI CUT LEVELS: A1, A2, A3, A4, A5, A6, A7, A8, A9

CHOOSING ANSI LEVELS




TDM-100 TEST

ANSI uses the TDM-100 to determine cut resistance

Glove is tested

Achieves score of A1 through A9 based on the gram score

Glove displays the ANSI Cut score



GUIDE TO EN388 CUT LEVELS

A  **2 Newtons = 203 Grams to Cut**
Light Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Light Manufacturing, Maintenance, Warehousing, Landscaping

D  **15 Newtons = 1529 Grams to Cut**
Medium Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing, Metal Stamping, Sheet Metal Handling, Construction, Extruded Plastics

B  **5 Newtons = 509 Grams to Cut**
Light/Medium Cut Hazards


APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing, Sheet Metal Handling, Construction

E  **22 Newtons = 2243 Grams to Cut**
Medium/High Cut Hazards


APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing, Metal Fabrication, Metal Stamping, Sheet Metal Handling, Steel Handling, Steel Processing, Construction, Extruded plastics, Recycling

C  **10 Newtons = 1019 Grams to Cut**
Medium Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing, Metal Stamping, Sheet Metal Handling, Construction

F  **30 Newtons = 3059 Grams to Cut**
High Cut Hazards

APPLICATIONS:
Metal Fabrication, Metal Stamping, Steel Processing, Steel Handling, Recycling



Test Method:	ABRASION	CUT (Coup Test)	TEAR	PUNCTURE	CUT (TDM-100)	IMPACT PROTECTION
Example 1:	Level 2	Level 4	Level 3	Level 2	Level D	Passed
Example 2:	Level 2	Level 2	Test not performed	Level 1 not achieved	Level E	Test not performed or not applicable
Example 3:	Level 2	Level 2	Level 1 not achieved	Level 2	Test not performed	Passed



2 4 3 2 D P

2 2 X X E

2 2 X 2 X P

HEAT PROTECTION



HPPE will start to melt above 158° Fahrenheit
 Taeki5: 13G & 15G: 302°F | 10G: 482°F | 7G: Up to 662°F

PERFORMANCE LEVELS	1	2	3	4
A. Burning Behavior (after flame & after glow time)	< 20s no requir.	< 10s < 120s	< 3s < 25s	< 2s < 5s
B. Contact Heat (cont. temp. & threshold time)	212° > 15s	482° > 15s	662° > 15s	932° > 15s
C. Convective Heat (heat transfer delay)	> 4s	> 7s	> 10s	> 18s
D. Radiant Heat (heat transfer delay)	> 7s	> 20s	> 50s	> 95s
E. Small Drops Molten Metal (number of drops)	> 10	> 15	> 25	> 35
F. Large Quantity Molten Metal (mass)	> 30g	> 60g	> 120g	> 200g

COLD PROTECTION



Protection against cold is expressed by a series of three performance levels. All gloves must achieve at least performance level 1 for abrasion and tear.

CONVECTIVE COLD (X - 4)

CONTACT COLD (X - 4)

WATER PERMEABILITY (0 or 1)



Resistance to **convective cold** (performance level 0 to 4) based on the thermal insulation properties of the glove which are obtained by measuring the transfer of cold via convection **A**

Resistance to **contact cold** (performance level 0 to 4) based on the thermal resistance of the glove material when exposed to contact with a cold object **B**

Penetration by water (0 or 1)
 0 = water penetration
 1 = no water penetration **C**

KYORENE® | 00



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-001 ANSI CUT A1



PUN
EN388



4121A



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



UPF 100



Oeko-Tex®
Standard 100

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



00

KYORENE®

00-001RT ANSI CUT A1



PUN
EN388



4121A



ATTRIBUTES:

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



UPF 100

Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



00

KYORENE®

00-002 ANSI CUT A1



PUN
EN388



4121A



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating

FEATURES:

- Knuckle Coating for Added Back of Hand Liquid Resistance
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



UPF 100

Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



00

KYORENE®

00-003 ANSI CUT A1



PUN
EN388



4121A



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating With Dots for Added Grip

FEATURES:

- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



UPF 100

Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-004 ANSI CUT A1



PUN
EN388



4121A



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating With Dots for Added Grip

FEATURES:

- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



UPF 100

Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-005
ANSI CUT A1



PUN
EN388



4142A



ATTRIBUTES:

- 15g Gray Kyorene® Graphene A1 Liner
- Full Blue Nitrile Coating With Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Full Nitrile Coating for Superior Oil & Water Resistance
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Aerospace
- Automotive Manufacturing
- Maintenance



UPF 100



Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-014 ANSI CUT A4



ABR
EN388



344XC



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 14" Gray Kyorene® Graphene A4 Sleeve

FEATURES:

- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Light Manufacturing
- Sheet Metal Handling
- Construction
- Food Processing



UPF
100



Packaging: 144EA Per Carton (One Size)



00

KYORENE®

00-014T

ANSI CUT A4



ABR
EN388



344XC



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 14" Gray Kyorene® Graphene A4 Sleeve With Thumb Hole

FEATURES:

- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Light Manufacturing
- Sheet Metal Handling
- Construction
- Food Processing



UPF
100



Packaging: 144EA Per Carton (One Size)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-018 ANSI CUT A4



344XC



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18" Gray Kyorene® Graphene A4 Sleeve

FEATURES:

- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Light Manufacturing
- Sheet Metal Handling
- Construction
- Food Processing



UPF 100



Packaging: 144EA Per Carton (One Size)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-018T ANSI CUT A4



ABR
EN388



344XC



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18" Gray Kyorene® Graphene A4 Sleeve With Thumb Hole

FEATURES:

- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Light Manufacturing
- Sheet Metal Handling
- Construction
- Food Processing



UPF 100



Packaging: 144EA Per Carton (One Size)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-020 ANSI CUT A1



PUN
EN388



4131A



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Graphene A1 Liner
- Black Polyurethane Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



UPF
100



KYORENE®
THE GRAPHENE FIBER

⚠ This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

00

KYORENE®

00-022 ANSI CUT A4



ABR
EN388



344XC



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 22" Gray Kyorene® Graphene A4 Sleeve

FEATURES:

- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Light Manufacturing
- Sheet Metal Handling
- Construction
- Food Processing



UPF 100



Packaging: 120EA Per Carton (One Size)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-022T

ANSI CUT A4



ABR
EN388



344XC



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 22" Gray Kyorene® Graphene A4 Sleeve With Thumb Hole

FEATURES:

- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Light Manufacturing
- Sheet Metal Handling
- Construction
- Food Processing



UPF 100



Packaging: 120EA Per Carton (One Size)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-200 ANSI CUT A2



PUN
EN388



4242B



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Graphene A2 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Appliance Manufacturing
- Sheet Metal Handling
- Construction



UPF 100

Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXXL)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-207 ANSI CUT A2



ABR
EN388



TOUCH
SCREEN

213XA



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Graphene A2 Liner

FEATURES:

- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Food Processing



UPF
100



KYORENE®
THE GRAPHENE FIBER

Packaging: 12DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE®

00-300 ANSI CUT A3



PUN
EN388



4442C



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 13g Gray Kyorene® Graphene A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Appliance Manufacturing
- Metal Stamping
- Sheet Metal Handling
- Construction



UPF
100

Oeko-Tex®
Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXXL)

HCT
Hybrid Coating Technology



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-320 ANSI CUT A3



PUN
EN388



4442B



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 13g Gray Kyorene® Graphene A3 Liner
- Black Polyurethane Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Appliance Manufacturing
- Metal Stamping
- Sheet Metal Handling
- Construction



UPF
100



KYORENE®
THE GRAPHENE FIBER

This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

00

KYORENE®

00-420 ANSI CUT A4



PUN
EN388



4442D



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 13g Gray Kyorene® Graphene A4 Liner
- Black Polyurethane Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Appliance Manufacturing
- Metal Stamping
- Sheet Metal Handling
- Construction
- Plastics
- Steel Handling



UPF
100



KYORENE®
THE GRAPHENE FIBER

This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

00

KYORENE®

00-450 ANSI CUT A4



PUN
EN388



4442D



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 13g Gray Kyorene® Graphene A4 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Appliance Manufacturing
- Metal Stamping
- Sheet Metal Handling
- Construction
- Extruded Plastics



UPF 100

Oeko-Tex®
Standard 100



KYORENE®
THE GRAPHENE FIBER

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE®

00-600 ANSI CUT A6



PUN
EN388



4X42F



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 13g Gray Kyorene® Graphene A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Steel Handling
- Recycling



UPF 100

Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXXL)



KYORENE®
THE GRAPHENE FIBER

00

KYORENE®

00-602 ANSI CUT A6



PUN
EN388



4X42F



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 13g Gray Kyorene® Graphene A6 Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating

FEATURES:

- Knuckle Coating for Added Back of Hand Liquid Resistance
- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Steel Handling
- Recycling



UPF 100

Oeko-Tex® Standard 100



HCT
Hybrid Coating Technology

KYORENE®
THE GRAPHENE FIBER

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE®

00-606 ANSI CUT A6



PUN
EN388



4X42F



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 13g Gray Kyorene® Graphene A6 Liner
- Black Crinkle Latex Palm Coating

FEATURES:

- Reinforced Thumb Crotch for Extended Wear
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Bottling
- Glass Handling
- Heavy Material Handling



UPF 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



KYORENE®
THE GRAPHENE FIBER



KYORENE[®]
PRO

GRAPHENE

EN388

ANSI

ANSI



M

00-890

AKAPF

CUT

ABR



ULP 100



Deko-Tex[®]
Standard 100



TOUCH
SCREEN

ARMORGLIS

RYOBI
ONE+

KYORENE[®]
PRO GRAPHENE

00

KYORENE® PRO

00-801 ANSI CUT A6



ABR
EN388



254XF



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18" Gray Kyorene® Pro Graphene A6 Sleeve

FEATURES:

- Silicone Free
- No Stainless Steel or Fiberglass
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Glass Handling



UPF
100



Packaging: 144EA Per Carton (One Size)

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-801T

ANSI CUT A6



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18" Gray Kyorene® Pro Graphene A6 Sleeve With Thumb Hole

FEATURES:

- Silicone Free
- No Stainless Steel or Fiberglass
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Glass Handling



Packaging: 144EA Per Carton (One Size)

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-802T

ANSI CUT A6



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 21" Gray Kyorene® Pro Graphene A6 Sleeve With Thumb Hole

FEATURES:

- Silicone Free
- No Stainless Steel or Fiberglass
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Glass Handling



Packaging: 144EA Per Carton (One Size)

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-802TVC

ANSI CUT A6



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 21" Gray Kyorene® Pro Graphene A6 Sleeve With Thumb Hole & Elastic Velcro Closure on Bicep

FEATURES:

- Silicone Free
- No Stainless Steel or Fiberglass
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Glass Handling



Packaging: 144EA Per Carton (One Size)

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-802VC

ANSI CUT A6



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 21" Gray Kyorene® Pro Graphene A6 Sleeve With Elastic Velcro Closure on Bicep

FEATURES:

- Silicone Free
- No Stainless Steel or Fiberglass
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Glass Handling



Packaging: 144EA Per Carton (One Size)

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-803TVC

ANSI CUT A6



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g, 18" Gray Kyorene® Pro Graphene A6 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

FEATURES:

- Silicone Free
- No Stainless Steel or Fiberglass
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling



Packaging: 144EA Per Carton (One Size)

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-804TVC

ANSI CUT A9



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g, 18" Gray Kyorene® Pro Graphene A9 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

FEATURES:

- Silicone Free
- No Stainless Steel or Fiberglass
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands/Arms Comfortable
- Odor Neutralizing to Keep the Sleeves Smelling Fresh

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling



Packaging: 144EA Per Carton (One Size)

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-810 ANSI CUT A1



PUN
EN388



4121A



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Hi Vis Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



UPF 100

Oeko-Tex® Standard 100



00

KYORENE® PRO

00-830 ANSI CUT A3



PUN
EN388



4342C



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Appliance Manufacturing
- Metal Stamping
- Sheet Metal Handling
- Handling Extruded Plastics
- Construction

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



UPF
100

Oeko-Tex®
Standard 100



HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-836 ANSI CUT A3



PUN
EN388



4331C



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g, 100D Gray Kyorene® Pro Graphene A3 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Appliance Manufacturing
- Metal Stamping
- Sheet Metal Handling
- Handling Extruded Plastics
- Construction



UPF 100

Oeko-Tex® Standard 100



KYORENE®
PRO GRAPHENE

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE® PRO

00-840 ANSI CUT A4



PUN
EN388



4X42D



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Steel Processing
- Construction



UPF
100

Oeko-Tex®
Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXXL)

00

KYORENE® PRO

00-840HV ANSI CUT A4



PUN
EN388



4X43D



ATTRIBUTES:

- 18g Gray/Hi Vis Yellow Kyorene® Pro Graphene A4 Liner
- Hi Vis Yellow HCT® Lite Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Sheet Metal Handling
- Steel Processing
- Construction



UPF 100

Oeko-Tex® Standard 100



KYORENE®
PRO GRAPHENE

Packaging: 6DZ Per Carton (All Sizes: XS-XXXL)

00

KYORENE® PRO

00-841 ANSI CUT A4



PUN
EN388



4X42D



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating With Dots for Added Grip

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Steel Processing
- Construction



UPF 100

Oeko-Tex® Standard 100



00

KYORENE® PRO

00-842 ANSI CUT A4



CUT



ABR



PUN

EN388



4X42D



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Steel Processing
- Construction



UPF 100

Oeko-Tex® Standard 100



KYORENE®
PRO GRAPHENE

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE® PRO

00-843 ANSI CUT A4



CUT



ABR



PUN

EN388



TOUCH
SCREEN

4X42D



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black Polyurethane Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Steel Processing
- Construction

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



KYORENE®
PRO GRAPHENE

This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

00

KYORENE® PRO

00-845 ANSI CUT A4



PUN
EN388



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Full Blue Nitrile Coating With Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Aircraft Maintenance
- Fluid Handling
- Engine Assembly
- General Handling & Maintenance

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



UPF 100

Oeko-Tex® Standard 100



HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-847 ANSI CUT A4



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Back of Hand TPV Protection
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Oil & Gas
- Mining
- Construction



UPF 100

Oeko-Tex® Standard 100




HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-849 ANSI CUT A4



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A4 Liner With 7g Poly-Acrylic Lining & Velcro Closure
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Construction
- Cold Storage
- Outdoor Winter Work
- Landscaping



UPF 100

Oeko-Tex® Standard 100



00

KYORENE® PRO

00-850 ANSI CUT A5



PUN
EN388



4443E



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Pro Graphene A5 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Plastics



UPF
100

Oeko-Tex®
Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-853 ANSI CUT A5



CUT



ABR



PUN

EN388



4443E



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Pro Graphene A5 Liner
- Black Polyurethane Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Plastics

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-857 ANSI CUT A5



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Pro Graphene A5 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Back of Hand TPV Protection
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXXL)

APPLICATIONS:

- Oil & Gas
- Mining
- Construction



UPF 100

Oeko-Tex® Standard 100



HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-860 ANSI CUT A6



CUT



ABR



PUN

EN388



4X32F



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Steel Handling
- Recycling



UPF 100

Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-863 ANSI CUT A6



PUN
EN388



4X32F



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A6 Liner
- Black Polyurethane Palm Coating

FEATURES:


- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Automotive Manufacturing
- Metal Fabrication
- Steel Processing
- Construction

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-867 ANSI CUT A6



PUN
EN388



4X32F



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Back of Hand TPV Protection
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Oil & Gas
- Mining
- Construction



UPF
100

Oeko-Tex®
Standard 100




HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-869 ANSI CUT A6



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A6 Liner With 7g Poly-Acrylic Lining & Velcro Closure
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Construction
- Cold Storage
- Outdoor Winter Work
- Landscaping



UPF 100

Oeko-Tex® Standard 100



HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-870 ANSI CUT A7



CUT



ABR



PUN

EN388



4X42F



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A7 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Steel Processing
- Glass Manufacturing
- Recycling
- Construction



UPF 100

Oeko-Tex® Standard 100



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE® PRO

00-877 ANSI CUT A7



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A7 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Back of Hand TPV Protection
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Oil & Gas
- Mining
- Construction



UPF 100

Oeko-Tex® Standard 100



HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-880 ANSI CUT A8



CUT



ABR



PUN

EN388



4X43F



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A8 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Steel Processing
- Glass Manufacturing
- Recycling
- Construction

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)



UPF 100

Oeko-Tex® Standard 100



00

KYORENE® PRO

00-887 ANSI CUT A8



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A8 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Back of Hand TPV Protection
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Oil & Gas
- Mining
- Construction



UPF 100

Oeko-Tex® Standard 100



HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

00

KYORENE® PRO

00-890 ANSI CUT A9



PUN
EN388



4X43F



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A9 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Metal Fabrication
- Steel Processing
- Glass Manufacturing
- Recycling



UPF
100

Oeko-Tex®
Standard 100



HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE® PRO

00-897 ANSI CUT A9



PUN
EN388



4X43F



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A9 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone Free
- Back of Hand TPV Protection
- Reinforced Thumb Crotch for Extended Wear
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

Packaging: 6DZ Per Carton (All Sizes: XS-XXXL)

APPLICATIONS:

- Oil & Gas
- Mining
- Construction



UPF 100

Oeko-Tex® Standard 100



HCT
Hybrid Coating Technology

KYORENE®
PRO GRAPHENE


TAEKI5® | 01

TAEKI5

Advanced Composite Fiber

01-006

ANSI CUT A4



ATTRIBUTES:

- 10g Yellow Taeki5® A4 Liner
- Sewn on Leather Palm W/ Reinforced Thumb Crotch

FEATURES:

- Moderate Heat Resistance

Packaging: 5DZ Per Carton (All Sizes: S-XXL)


APPLICATIONS:

- Steel Processing
- Sheet Metal Handling
- Metal Stamping



01-015

ANSI CUT A4



ATTRIBUTES:

- 14" Hi Vis Yellow Taeki5® A4 Sleeve

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)

APPLICATIONS:


- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



TAEKI5® | 01

01-017

ANSI CUT A4



ATTRIBUTES:

- 13g Yellow Taeki5® A4 Liner

FEATURES:

- Moderate Heat Resistance

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)


APPLICATIONS:

- Steel Processing
- Sheet Metal Handling
- Metal Stamping
- Automotive Manufacturing



TAEKI5
Advanced Composite Fiber

01-019
ANSI CUT A4



ATTRIBUTES:

- 18" Hi Vis Yellow Taeki5® A4 Sleeve

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)


APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



01-019T

ANSI CUT A4



ATTRIBUTES:

- 18" Hi Vis Yellow Taeki5® A4 Sleeve With Thumb Hole

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)


APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



01-019TVC

ANSI CUT A4



ATTRIBUTES:

- 18" Hi Vis Yellow Taeki5® A4 Sleeve With Thumb Hole & Elastic Velcro Closure on Bicep

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)


APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



01-019VC

ANSI CUT A4



ATTRIBUTES:

- 18" Hi Vis Yellow Taeki5® A4 Sleeve
- With Elastic Velcro Closure on Bicep

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)


APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



01-020

ANSI CUT A4



ATTRIBUTES:

- 10g Yellow Taeki5® A4 Liner
- Sewn on Leather Palm

FEATURES:

- Moderate Heat Resistance

Packaging: 5DZ Per Carton (All Sizes: S-XXL)


APPLICATIONS:

- Steel Processing
- Sheet Metal Handling
- Metal Stamping



01-021

ANSI CUT A4



ATTRIBUTES:

- 22" Yellow Taeki5® A4 Sleeve With Finger Tracks, Thumb Hole & Alligator Clip

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)


APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



01-021HV

ANSI CUT A4



ATTRIBUTES:

- 22" Hi Vis Yellow Taeki5® A4 Sleeve With Finger Tracks, Thumb Hole & Alligator Clip

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)


APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



01-022T

ANSI CUT A4



ATTRIBUTES:

- 22" Hi Vis Yellow Taeki5® A4 Sleeve With Thumb Hole

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)


APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



01-022TVC

ANSI CUT A4



ATTRIBUTES:

- 22" Hi Vis Yellow Taeki5® A4 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 24EA Per Carton (One Size)

APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling



01-027

ANSI CUT A4



ATTRIBUTES:

- 13g Blue Taeki5® A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Light Heat Resistance
- Moisture Wicking

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)



APPLICATIONS:

- Assembly
- Metal Stamping
- Sheet Metal Handling
- Plastics
- Construction



01-032

ANSI CUT A4



ATTRIBUTES:

- 24" Hi Vis Yellow Taeki5® A4 Sleeve

FEATURES:

- Single Ply
- Light Heat Resistance
- Moisture Wicking
- Lint Free

Packaging: 144EA Per Carton (One Size)

APPLICATIONS:

- Automotive Assembly
- Light Manufacturing
- Sheet Metal Handling
- Construction
- Recycling





HAMMER HEAD
02-013 M
BASETEK
HAMMER GUTS

CE
EN 388
EN 1081
EN 1082

B


BASETEK®

Innovative Fiber Technology

02

BASETEK®

02-008 ANSI CUT A2



ATTRIBUTES:

- 13g Salt & Pepper HDPE Basetek® A2 Liner
- Gray Polyurethane Palm Coating

FEATURES:


- Positive Grip in Dry and Light Oil Environments

Packaging: 12DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- Construction
- Sheet Metal Handling
- Small Parts Assembly




 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov



Innovative Fiber Technology

02-013

ANSI CUT A3

**ATTRIBUTES:**

- 13g Salt & Pepper HDPE Basetek[®] A3 Liner
- Gray Polyurethane Palm Coating

FEATURES:


- Positive Grip in Dry and Light Oil Environments

Packaging: 12DZ Per Carton (All Sizes: XS-XXXL)

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Construction



 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov



Innovative Fiber Technology

02

BASETEK®

02-014 ANSI CUT A4



ATTRIBUTES:

- 13g Green HDPE Basetek® A4 Liner
- Black Polyurethane Palm Coating

FEATURES:

- Positive Grip in Dry and Light Oil Environments

Packaging: 12DZ Per Carton (All Sizes: XS-XXXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Steel Handling
- Construction
- Recycling



This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov



Innovative Fiber Technology

02-015

ANSI CUT A6

**ATTRIBUTES:**

- 13g Blue HDPE Basetek® A6 Liner
- Black Polyurethane Palm Coating

FEATURES:


- Positive Grip in Dry and Light Oil Environments

Packaging: 12DZ Per Carton (All Sizes: XXS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Steel Handling
- Construction
- Recycling




 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

B
BASETTEK®

Innovative Fiber Technology

02-023

ANSI CUT A3

**ATTRIBUTES:**

- 13g Salt & Pepper HDPE Basetek[®] A3 Liner
- Black HCT[®] MicroFoam Nitrile Palm Coating

FEATURES:

- Enhanced Grip in Oily and Greasy Environments

Packaging: 12DZ Per Carton (All Sizes: XS-XXXL)

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Construction




02

BASETEK®

02-024

ANSI CUT A4



ATTRIBUTES:

- 13g Green HDPE Basetek® A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Enhanced Grip in Oily and Greasy Environments

Packaging: 12DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Steel Handling
- Construction
- Recycling

CE  Oeko-Tex® Standard 100




Innovative Fiber Technology

02

BASETTEK®

02-025

ANSI CUT A6



ATTRIBUTES:

- 13g Blue HDPE Basetek® A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Enhanced Grip in Oily and Greasy Environments

Packaging: 12DZ Per Carton (All Sizes: XS-XXXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Steel Handling
- Construction
- Recycling




02

BASETEK®

02-025HV

ANSI CUT A6



ATTRIBUTES:

- 13g Hi Vis Yellow HDPE Basetek® A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Enhanced Grip in Oily and Greasy Environments
- Hi Vis Liner for Added Visibility

Packaging: 12DZ Per Carton (All Sizes: S-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Steel Handling
- Construction
- Recycling




02

BASETEK®

02-027

ANSI CUT A5



ATTRIBUTES:

- 13g Blue HDPE Basetek® A5 Liner

FEATURES:

- Comfortable Seamless Liner
- Complies With FDA Food Handling Requirements (21 CFR 177.2600)

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Food Processing




02

BASETEK®

02-028

ANSI CUT A4



ATTRIBUTES:

- 13g Salt & Pepper HDPE Basetek® A4 Liner
- Gray Polyurethane Palm Coating

FEATURES:


- Positive Grip in Dry and Light Oil Environments

Packaging: 12DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Steel Handling
- Construction
- Recycling



 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov




Innovative Fiber Technology

02

BASETEK®

02-029 ANSI CUT A5



ATTRIBUTES:

- 13g Salt & Pepper HDPE Basetek® A5 Liner
- Gray Polyurethane Palm Coating

FEATURES:

- Positive Grip in Dry and Light Oil Environments

Packaging: 12DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Steel Handling
- Construction
- Recycling




This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov



02-030

ANSI CUT A3

**ATTRIBUTES:**

- 13g Salt & Pepper HDPE Basetek[®] A3 Liner
- Black HCT[®] MicroFoam Nitrile Palm Coating

FEATURES:

- Back of Hand TPV Protection
- Padded Gel Palm

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Construction
- Oil & Gas
- Mining




HCT
Hybrid Coating Technology

B
BASETEK[®]
Innovative Fiber Technology

02-040

ANSI CUT A4

**ATTRIBUTES:**

- 13g Salt & Pepper HDPE Basetek[®] A4 Liner
- Black HCT[®] MicroFoam Nitrile Palm Coating

FEATURES:

- Back of Hand TPV Protection
- Padded Gel Palm

Packaging: 5DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Construction
- Oil & Gas
- Mining



HCT
Hybrid Coating Technology


B
BASETEK[®]
Innovative Fiber Technology

02

BASETTEK®

02-060

ANSI CUT A3



ATTRIBUTES:

- 18" Black HDPE Basetek® A3 Sleeve

FEATURES:

- Seamless Design Offers Optimal Fit
- Black Color Hides Dirt Improving Sleeve Longevity

Packaging: 120EA Per Carton (One Size)

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling




Innovative Fiber Technology

02

BASETTEK®

02-060T

ANSI CUT A3



ATTRIBUTES:

- 18" Black HDPE Basetek® A3 Sleeve With Thumb Hole

FEATURES:

- Seamless Design Offers Optimal Fit
- Black Color Hides Dirt Improving Sleeve Longevity

Packaging: 120EA Per Carton (One Size)

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling



Innovative Fiber Technology

02

BASETEK®

02-061T

ANSI CUT A3



ATTRIBUTES:

- 20" Black HDPE Basetek® A3 Sleeve With Thumb Hole

FEATURES:

- Seamless Design Offers Optimal Fit
- Black Color Hides Dirt Improving Sleeve Longevity

Packaging: 120EA Per Carton (One Size)

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling




Innovative Fiber Technology

02

BASETEK®

02-062T

ANSI CUT A3



ATTRIBUTES:

- 22" Black HDPE Basetek® A3 Sleeve With Thumb Hole

FEATURES:

- Seamless Design Offers Optimal Fit
- Black Color Hides Dirt Improving Sleeve Longevity

Packaging: 120EA Per Carton (One Size)

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling




Innovative Fiber Technology

02

BASETEK®

02-063T

ANSI CUT A3



ATTRIBUTES:

- 18" Black HDPE Basetek® A3 Sleeve
With Thumb Hole & V-Slot

FEATURES:

- Seamless Design Offers Optimal Fit
- Black Color Hides Dirt Improving Sleeve Longevity

Packaging: 120EA Per Carton (One Size)

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling




BASETEK®
Innovative Fiber Technology



Hcf
Water Coating Technology
04-545
M EXTRAFLEX
EN117
CE
A5
EN117
EN117
EN117

EXTRAFLEX®

04

EXTRAFLEX®



04-001

ANSI ABR 3



ATTRIBUTES:

- 15g Gray Nylon Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Enhanced Grip and Abrasion Resistance
- Breathable Coating for Superior Comfort

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Automotive Assembly
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping




04

EXTRAFLEX®



04-002

ANSI ABR 3



ATTRIBUTES:

- 15g Gray Nylon Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating

FEATURES:

- Knuckle Coating for Added Back of Hand Liquid Resistance
- Enhanced Grip and Abrasion Resistance
- Breathable Coating for Superior Comfort

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Automotive Assembly
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping




04

EXTRAFLEX®



04-005

ANSI ABR 3



ATTRIBUTES:

- 15g Gray Nylon Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating With Dotted Palm

FEATURES:

- Knuckle Coating for Added Back of Hand Liquid Resistance
- Enhanced Grip and Abrasion Resistance
- Breathable Coating for Superior Comfort

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Automotive Assembly
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



Hybrid Coating Technology



04-006

**ATTRIBUTES:**

- 13g Black Nylon Liner
- Smooth Black Nitrile Knuckle Coating With Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Back of Hand Coating for Added Oil Resistance
- Enhanced Grip and Abrasion Resistance
- Breathable Coating for Superior Comfort

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Automotive Assembly
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



HCT
HCT HCT

Hybrid Coating Technology

04

EXTRAFLEX®



04-007 ANSI ABR 3



ATTRIBUTES:

- 15g Gray Nylon Liner
- Black HCT® MicroFoam Nitrile Palm Coating With Dots

FEATURES:

- Enhanced Grip and Abrasion Resistance
- Breathable Coating for Superior Comfort


Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Automotive Assembly
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping



Hybrid Coating Technology

**ATTRIBUTES:**

- 13g Hi Vis Yellow Nylon Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Latex Palm Coating

FEATURES:

- Excellent Abrasion Resistance and Wet Grip
- Breathable Coating for Superior Comfort

Packaging: 8DZ Per Carton (All Sizes: M-XXL)

APPLICATIONS:

- Cold Storage
- Fishing
- Outdoor Winter Work
- Landscaping




HCT
Hybrid Coating Technology

04

EXTRAFLEX®

04-012



ATTRIBUTES:

- 13g Hi Vis Yellow Nylon Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Latex Knuckle Coating

FEATURES:

- Excellent Abrasion Resistance and Wet Grip
- Breathable Coating for Superior Comfort

Packaging: 8DZ Per Carton (All Sizes: M-XXL)

APPLICATIONS:

- Cold Storage
- Fishing
- Outdoor Winter Work
- Landscaping



04

EXTRAFLEX®



04-024



ATTRIBUTES:

- 15g Hi Vis Yellow Nylon Liner
- Black HCT® MicroFoam Latex Palm Coating

FEATURES:

- Exceptional Abrasion Resistance and Wet Grip
- Breathable Coating for Superior Comfort

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Automotive Assembly
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping


CE Oeko-Tex® Standard 100



04

EXTRAFLEX®

04-200 ANSI CUT A3



ATTRIBUTES:

- 18g Hi Vis Yellow Engineered A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip
- Hi Vis Liner for Added Visibility

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- Light Manufacturing
- HVAC/Sheet Metal
- Steel Handling


CE ⓘ Oeko-Tex® Standard 100



04

EXTRAFLEX®

04-250 ANSI CUT A2



ATTRIBUTES:

- 18g Green Engineered A2 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- Nano-Foam Coating Provides Unparalleled Dexterity and Tactile Sensitivity
- Excellent Dry Grip

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Small Parts Assembly
- Construction



04

EXTRAFLEX®

04-300 ANSI CUT A3



ATTRIBUTES:

- 13g Light Blue Engineered A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip

Packaging: 10DZ Per Carton (All Sizes: XXS-XXXL)

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Construction



04

EXTRAFLEX®

04-300HV ANSI CUT A3



ATTRIBUTES:

- 13g Hi Vis Yellow Engineered A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Construction



04

EXTRAFLEX®

04-311 ANSI CUT A4



ATTRIBUTES:

- 13g Light Blue Engineered A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Excellent Abrasion Resistance and Wet Grip
- Breathable Coating for Superior Comfort

Packaging: 6DZ Per Carton (All Sizes: S-XXXL)

APPLICATIONS:

- Construction
- Cold Storage
- Outdoor Winter Work
- Landscaping


CE Oeko-Tex® Standard 100



04

EXTRAFLEX®

04-312 ANSI CUT A4



ATTRIBUTES:

- 13g Light Blue Engineered A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Knuckle Coating

FEATURES:

- Knuckle Coating for Added Back of Hand Liquid Resistance
- Excellent Abrasion Resistance and Wet Grip
- Breathable Coating for Superior Comfort

Packaging: 6DZ Per Carton (All Sizes: S-XXXL)

APPLICATIONS:


- Construction
- Cold Storage
- Outdoor Winter Work
- Landscaping



04

EXTRAFLEX®

04-314 ANSI CUT A4



ATTRIBUTES:

- 13g Light Blue Engineered A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Knuckle Coating

FEATURES:

- Back of Hand TPV Protection
- Knuckle Coating for Added Back of Hand Liquid Resistance
- Excellent Abrasion Resistance and Wet Grip

Packaging: 6DZ Per Carton (All Sizes: M-XXL)

APPLICATIONS:

- Cold Storage
- Fishing
- Outdoor Winter Work
- Landscaping



04

EXTRAFLEX®

04-321 ANSI CUT A4



ATTRIBUTES:

- 13g Hi Vis Yellow Engineered A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Excellent Abrasion Resistance and Wet Grip
- Breathable Coating for Superior Comfort

Packaging: 6DZ Per Carton (All Sizes: S-XXXL)

APPLICATIONS:

- Construction
- Cold Storage
- Outdoor Winter Work
- Landscaping



04

EXTRAFLEX®

04-322 ANSI CUT A4



ATTRIBUTES:

- 13g Hi Vis Yellow Engineered A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Knuckle Coating

FEATURES:

- Knuckle Coating for Added Back of Hand Liquid Resistance
- Excellent Abrasion Resistance and Wet Grip
- Breathable Coating for Superior Comfort

Packaging: 6DZ Per Carton (All Sizes: S-XXL)

APPLICATIONS:


- Construction
- Cold Storage
- Outdoor Winter Work
- Landscaping



04

EXTRAFLEX®

04-350 ANSI CUT A3



ATTRIBUTES:

- 13g Dark Blue Engineered A3 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- Nano-Foam Coating Provides Unparalleled Dexterity and Tactile Sensitivity
- Excellent Dry Grip

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:


- Automotive Manufacturing
- Sheet Metal Handling
- Construction
- Metal Stamping
- Glass Handling



04

EXTRAFLEX®

04-367 ANSI CUT A3



ATTRIBUTES:

- 13g Dark Blue Engineered A3 Liner
- Black HCT® Lite Palm Coating With Dots

FEATURES:

- Reinforced Thumb Crotch
- HCT® Lite Coating Provides Unparalleled Dexterity and Tactile Sensitivity
- Excellent Dry Grip

Packaging: 10DZ Per Carton (All Sizes: S-XXL)

APPLICATIONS:


- Automotive Manufacturing
- Sheet Metal Handling
- Construction
- Metal Stamping
- Glass Handling



04

EXTRAFLEX®

04-400 ANSI CUT A4



ATTRIBUTES:

- 13g Orange Engineered A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip

Packaging: 10DZ Per Carton (All Sizes: XS-XXXL)

APPLICATIONS:


- Automotive Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Steel Processing
- Construction



04

EXTRAFLEX®

04-420HV ANSI CUT A4



ATTRIBUTES:

- 15g Hi Vis Yellow Engineered A4 Liner
- Black Polyurethane Palm Coating

FEATURES:

- Reinforced Thumb Crotch

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Steel Processing
- Construction




This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov



04

EXTRAFLEX®

04-500 ANSI CUT A5



ATTRIBUTES:

- 13g Black Engineered A5 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip
- Black Color Hides Dirt Improving Glove Longevity

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:


- Metal Fabrication
- Metal Stamping
- Steel Processing
- Steel Handling
- Recycling



04

EXTRAFLEX®

04-545 ANSI CUT A5



ATTRIBUTES:

- 15g Hi Vis Yellow Engineered A5 Liner With 7g Poly-Acrylic Lining
- Full Smooth Black Nitrile Coating With Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Knuckle Coating for Added Back of Hand Liquid Resistance
- Excellent Abrasion Resistance and Wet Grip
- Breathable Coating for Superior Comfort

Packaging: 6DZ Per Carton (All Sizes: S-XXXL)

APPLICATIONS:

- Construction
- Cold Storage
- Outdoor Winter Work
- Landscaping



Hybrid Coating Technology

04

EXTRAFLEX®

04-550 ANSI CUT A5



EN388



4342E



ATTRIBUTES:

- 18g Dark Gray Engineered A5 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- Nano-Foam Coating Provides Unparalleled Dexterity and Tactile Sensitivity
- Excellent Dry Grip

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)


APPLICATIONS:

- Automotive Manufacturing
- Sheet Metal Handling
- Construction
- Metal Stamping
- Glass Handling





CHEMIFLEX

**ATTRIBUTES:**

- 13" 15MIL Flock Lined
- Green Nitrile Coating

FEATURES:

- Diamond Pattern for Enhanced Grip
- Complies With FDA Food Handling Requirements (21 CFR 177.2600)

Packaging: 12DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Chemical Processing
- Food Processing
- Machining
- Printing Press Operations
- Oil & Gas
- Petrochemicals



Chemical Resistance



DUTY
General Purpose

06

DUTY

06-007



ARMOR GUYS
PROTECTED
DUTY 06-007
L EN388
CE 4131



ATTRIBUTES:

- 13g Dark Gray Nylon Liner
- Smooth Black Nitrile Palm Coating

FEATURES:

- Excellent Grip in Dry Environments

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Light Manufacturing
- Landscaping
- Maintenance
- Warehousing



06

DUTY

06-008



ATTRIBUTES:

- 13g White Nylon Liner
- Gray Foam Nitrile Palm Coating

FEATURES:

- Optimal Oil Grip

Packaging: 10DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Light Manufacturing
- Maintenance
- Warehousing



06

DUTY

06-009



ATTRIBUTES:

- 13g Gray Polyester Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Lightweight
- Good Oil Grip
- Good Dexterity

Packaging: 10DZ Per Carton (All Sizes: S-XL)

APPLICATIONS:

- General Assembly
- Light Manufacturing
- Warehousing
- Construction
- Landscaping
- Maintenance



06

DUTY

06-010



ATTRIBUTES:

- 13g White Nylon Liner
- White Polyurethane Palm Coating

FEATURES:

- Excellent Dexterity and Optimal Tactile Sensitivity

Packaging: 12DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Inspection
- Quality Control
- Light Manufacturing



This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov



06

DUTY

06-012



ARMOR GUYS
DUTY 06-012
L
EN388
4131
CE



ATTRIBUTES:

- 13g Black Nylon Liner
- Black Polyurethane Palm Coating

FEATURES:

- Excellent Dexterity and Optimal Tactile Sensitivity

Packaging: 12DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Inspection
- Quality Control
- Light Manufacturing



This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov



06

DUTY

06-018-14



ATTRIBUTES:

- White Interlock Lining
- Black PVC Coating, 14" Length

FEATURES:

- Excellent Dexterity and Optimal Tactile Sensitivity

Packaging: 6DZ Per Carton (XL)

APPLICATIONS:

- Oil & Gas
- Petrochemicals



06

DUTY

06-019



ATTRIBUTES:

- 10g Cotton/Polyester Liner
- Blue Crinkle Latex Palm Coating

FEATURES:

- Enhanced Abrasion Resistance and Positive Grip

Packaging: 10DZ Per Carton (All Sizes: S-XXL)

APPLICATIONS:

- Material Handling
- Construction
- Landscaping
- Recycling
- Trash Handling



06

DUTY

06-021



ARMOR GUYS
DUTY 06-021
L EN388
CE 2121



ATTRIBUTES:

- 13g Black Nylon Liner
- Black Crinkle Latex Palm Coating

FEATURES:

- Enhanced Abrasion Resistance and Positive Grip

Packaging: 10DZ Per Carton (All Sizes: S-XXL)

APPLICATIONS:

- Construction
- General Assembly
- Material Handling
- Landscaping





07

PERFOTEK®

07-002 ANSI CUT A9



ATTRIBUTES:

- 13g Dark Blue HDPE Liner With Puncture Resistant Palm & Fingertips
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- ANSI A9 Cut Resistance on Palm
- ANSI A4 Cut Resistance Back of Hand
- ANSI Level 4 Puncture ASTM F2878 Palm

Packaging: 5DZ Per Carton (All Sizes: S-XXL)

APPLICATIONS:

- Recycling
- Trash Handling
- Mining
- Steel Manufacturing
- Wood Handling





EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+



14-001HV ANSI ABR 3



ATTRIBUTES:

- 15g Hi Vis Yellow Nylon Liner
- Hi Vis Yellow HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Enhanced Grip and Abrasion Resistance
- Breathable Coating for Superior Comfort

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- General Assembly
- Automotive Assembly
- Light Manufacturing
- Maintenance
- Warehousing
- Landscaping

CE Oeko-Tex® Standard 100



EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+



14-007HV

ANSI ABR 3



ANSI
3
ABR
EN388



4131



ATTRIBUTES:

- 15g Hi Vis Yellow Nylon Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Hi Vis Liner for Added Visibility
- Back of Hand TPV Protection
- Reinforced Thumb Crotch
- Enhanced Grip and Abrasion Resistance
- Breathable Coating for Superior Comfort

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Oil & Gas
- Mining
- Construction



EXTRAFLEX® PLUS+

14

EXTRAFLEX®
PLUS+

14-300
ANSI CUT A3



PUN
EN388



4X42C



ATTRIBUTES:

- 18g Blue Extraflex® Plus A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Light Manufacturing
- Sheet Metal Handling
- Metal Stamping
- Construction

CE  Oeko-Tex®
Standard 100



EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-400 ANSI CUT A4



ATTRIBUTES:

- 18g Black Extraflex® Plus A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Construction
- Sheet Metal Handling
- Steel Processing

CE  Oeko-Tex® Standard 100

HCT
Hybrid Coating Technology

EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-406TVC

ANSI CUT A4



ATTRIBUTES:

- 18g, 18" Black Extraflex® Plus A4 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

FEATURES:

- Elasticized V-Slot With Velcro Closure Accommodates a Wide Range of Wearers
- Dark Color Hides Dirt

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling



Packaging: 144EA Per Carton (One Size)

EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-420 ANSI CUT A4



EN388



4444D



ATTRIBUTES:

- 18g Black Extraflex® Plus A4 Liner
- Black Polyurethane Palm Coating

FEATURES:


- Reinforced Thumb Crotch

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Stamping
- Construction
- Sheet Metal Handling
- Steel Processing



 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-500 ANSI CUT A5



PUN
EN388



ATTRIBUTES:

- 15g Hi Vis Yellow Extraflex® Plus A5 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Steel Handling
- Recycling

CE  Oeko-Tex®
Standard 100



EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-520 ANSI CUT A5



PUN
EN388



ATTRIBUTES:

- 15g Hi Vis Yellow Extraflex® Plus A5 Liner
- Black Polyurethane Palm Coating

FEATURES:


- Reinforced Thumb Crotch

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Steel Handling
- Recycling

CE  Oeko-Tex®
Standard 100

 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-600 ANSI CUT A6



PUN
EN388



4X44F



ATTRIBUTES:

- 15g Red Extraflex® Plus A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- MicroFoam Coating Ensures Excellent Oil Grip

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Steel Handling
- Recycling

CE  Oeko-Tex®
Standard 100



EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-606TVC

ANSI CUT A6



ATTRIBUTES:

- 18g, 18" Hi Vis Extraflex® Plus A6 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

FEATURES:

- Elasticized V-Slot With Velcro Closure Accommodates a Wide Range of Wearers
- Hi Vis Color for Added Visibility

APPLICATIONS:

- Appliance Manufacturing
- Automotive Manufacturing
- HVAC/Sheet Metal
- Construction
- Steel Handling



Packaging: 144EA Per Carton (One Size)

EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-620 ANSI CUT A6



PUN
EN388



4X44F



ATTRIBUTES:

- 15g Red Extraflex® Plus A6 Liner
- Black Polyurethane Palm Coating

FEATURES:


- Reinforced Thumb Crotch for Extended Wear

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Metal Fabrication
- Metal Stamping
- Steel Processing
- Steel Handling
- Recycling

CE  Oeko-Tex®
Standard 100

 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

EXTRAFLEX®
PLUS+

14

EXTRAFLEX®
PLUS+

14-700 ANSI CUT A7



EN388



4X44F



ATTRIBUTES:

- 15g Orange Extraflex® Plus A7 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced Thumb Crotch
- Excellent Dry and Oil Grip

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Fabrication
- Steel Processing
- Recycling
- Glass Handling

CE  Oeko-Tex® Standard 100

HCT
Hybrid Coating Technology

**EXTRAFLEX®
PLUS+**

14

EXTRAFLEX®
PLUS+

14-720 ANSI CUT A7



PUN
EN388



4X44F

ATTRIBUTES:

- 15g Orange Extraflex® Plus A7 Liner
- Black Polyurethane Palm Coating

FEATURES:


- Reinforced Thumb Crotch for Extended Wear

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

APPLICATIONS:

- Automotive Manufacturing
- Metal Fabrication
- Steel Processing
- Recycling
- Glass Handling

CE  Oeko-Tex®
Standard 100

 This product can expose you to N, N-Dimethylformamide- which is known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov

EXTRAFLEX®
PLUS+

KYORENE® PRO
FOOD SAFE

00

ANTI
HERO

KYORENE®
PRO GRAPHENE

FOOD  SAFE

00

KYORENE® PRO
FOOD SAFE

20-049

ANSI CUT A4



ABR
EN388



2X4XD



ATTRIBUTES:

- 15g Gray Kyorene® Pro Graphene A4 Liner

FEATURES:

- Silicone Free
- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Food Processing



UPF
100

Oeko-Tex®
Standard 100



KYORENE® PRO

FOOD SAFE

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE® PRO
FOOD SAFE

20-059

ANSI CUT A5



ABR
EN388



ATTRIBUTES:


- 15g Gray Kyorene® Pro Graphene A5 Liner

FEATURES:

- Silicone Free
- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Food Processing



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE® PRO
FOOD SAFE

20-069

ANSI CUT A6



ABR
EN388



TOUCH
SCREEN

2X4XF



VERIFIED GRAPHENE
PRODUCER
THE GRAPHENE COUNCIL

ATTRIBUTES:

- 15g Gray Kyorene® Pro Graphene A6 Liner

FEATURES:

- Silicone Free
- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Food Processing



UPF
100

Oeko-Tex®
Standard 100



KYORENE® PRO

FOOD SAFE

Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE® PRO
FOOD SAFE

20-089

ANSI CUT A8



ABR
EN388



2X42F



ATTRIBUTES:

- 15g Gray Kyorene® Pro Graphene A8 Liner

FEATURES:

- Silicone Free
- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Food Processing



UPF 100

Oeko-Tex® Standard 100



KYORENE® PRO



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

00

KYORENE® PRO
FOOD SAFE

20-099

ANSI CUT A9



ABR
EN388



ATTRIBUTES:

- 15g Gray Kyorene® Pro Graphene A9 Liner

FEATURES:

- Silicone Free
- Complies With FDA Food Handling Requirements (21 CFR 177.2600)
- No Stainless Steel or Fiberglass
- Ergonomically Shaped for Superior Fit
- Bacteriostatic Kills Harmful Bacteria
- Thermal Regulating to Keep the Hands Comfortable
- Odor Neutralizing to Keep the Gloves Smelling Fresh

APPLICATIONS:

- Food Processing



Packaging: 6DZ Per Carton (All Sizes: XS-XXL)

ARMOR GUYS

• PROTECTED •









Measure the circumference of your dominant hand just below your knuckles. The measurement in inches determines what glove size you wear.

See sizing chart below.



GLOVE SIZE	XS	S	M	L	XL	XXL
HAND MEASUREMENT	6"	7"	8"	9"	10"	11"









CUFF COLOR = GLOVE SIZE

AG PART #	ANSI CUT	ANSI ABR	EN388	SIZES	RANGE	PAGE
00-001	A1	6	4121A	XS-XXL	Kyorene®	7
00-001RT	A1	6	4121A	XS-XXL	Kyorene®	8
00-002	A1	6	4121A	XS-XXL	Kyorene®	9
00-003	A1	6	4121A	XS-XXL	Kyorene®	10
00-004	A1	6	4121A	XS-XXL	Kyorene®	11
00-005	A1	6	4142A	XS-XXL	Kyorene®	12
00-014*	A4	4	344XC	One Size	Kyorene®	13
00-014*	A4	4	344XC	One Size	Kyorene®	14
00-018*	A4	4	344XC	One Size	Kyorene®	15
00-018T*	A4	4	344XC	One Size	Kyorene®	16
00-020	A1	4	4131A	XS-XXL	Kyorene®	17
00-022*	A4	4	344XC	One Size	Kyorene®	18
00-022T*	A4	4	344XC	One Size	Kyorene®	19
00-200	A2	4	4242B	XS-XXXL	Kyorene®	20
00-207	A2	4	213XA	XS-XXL	Kyorene®	21
00-300	A3	4	4442C	XS-XXXL	Kyorene®	22
00-320	A3	4	4442B	XS-XXL	Kyorene®	23
00-420	A4	4	4442D	XS-XXL	Kyorene®	24
00-450	A4	4	4442D	XS-XXL	Kyorene®	25
00-600	A6	6	4X42F	XS-XXXL	Kyorene®	26
00-602	A6	6	4X42F	XS-XXL	Kyorene®	27
00-606	A6	5	4X42F	XS-XXL	Kyorene®	28
00-801*	A6	4	254XF	One Size	Kyorene® Pro	30
00-801T*	A6	4	254XF	One Size	Kyorene® Pro	31
00-802T*	A6	4	254XF	One Size	Kyorene® Pro	32
00-802TVC*	A6	4	254XF	One Size	Kyorene® Pro	33
00-802VC*	A6	4	254XF	One Size	Kyorene® Pro	34
00-803TVC*	A6	3	2X4XF	One Size	Kyorene® Pro	35
00-804TVC*	A9	6	2X4XF	One Size	Kyorene® Pro	36
00-810	A1	6	4121A	XS-XXL	Kyorene® Pro	37
00-830	A3	5	4342C	XS-XXL	Kyorene® Pro	38
00-836	A3	5	4331C	XS-XXL	Kyorene® Pro	39
00-840	A4	5	4X42D	XS-XXXL	Kyorene® Pro	40
00-840HV	A4	3	4X43D	XS-XXXL	Kyorene® Pro	41
00-841	A4	5	4X42D	XS-XXL	Kyorene® Pro	42
00-842	A4	5	4X42D	XS-XXL	Kyorene® Pro	43
00-843	A4	5	4X42D	XS-XXL	Kyorene® Pro	44
00-845	A4	5	4X43D	XS-XXL	Kyorene® Pro	45
 00-847	A4	5	4X42D	XS-XXL	Kyorene® Pro	46
 00-849	A4	6	4X43E	XS-XXL	Kyorene® Pro	47
00-850	A5	5	4443E	XS-XXL	Kyorene® Pro	48
00-853	A5	5	4443E	XS-XXL	Kyorene® Pro	49
 00-857	A5	5	4443E	XS-XXXL	Kyorene® Pro	50
00-860	A6	5	4X32F	XS-XXL	Kyorene® Pro	51
00-863	A6	5	4X32F	XS-XXL	Kyorene® Pro	52
 00-867	A6	5	4X32F	XS-XXL	Kyorene® Pro	53
 00-869	A6	6	4X43F	XS-XXL	Kyorene® Pro	54
00-870	A7	6	4X42F	XS-XXL	Kyorene® Pro	55
 00-877	A7	6	4X42F	XS-XXL	Kyorene® Pro	56
00-880	A8	6	4X43F	XS-XXL	Kyorene® Pro	57
 00-887	A8	6	4X43F	XS-XXL	Kyorene® Pro	58
00-890	A9	5	4X43F	XS-XXL	Kyorene® Pro	59
 00-897	A9	5	4X43F	XS-XXXL	Kyorene® Pro	60

* = Denotes product is a sleeve

 = Denotes product is cold protection


 = Denotes product is impact protection

AG PART #	ANSI CUT	ANSI ABR	EN388	SIZES	RANGE	PAGE
01-006	A4		4X44D	S-XXL	Taeki5®	62
01-015*	A4		444XD	One Size	Taeki5®	63
01-017	A4		4X4XD	XS-XXL	Taeki5®	64
01-019*	A4		444XD	One Size	Taeki5®	65
01-019T*	A4		444XD	One Size	Taeki5®	66
01-019TVC	A4		444XD	One Size	Taeki5®	67
01-019VC*	A4		444XD	One Size	Taeki5®	68
01-020	A4		4X44D	S-XXL	Taeki5®	69
01-021*	A4		444XD	One Size	Taeki5®	70
01-021HV*	A4		444XD	One Size	Taeki5®	71
01-022T*	A4		444XD	One Size	Taeki5®	72
01-022TVC*	A4		3X4XD	One Size	Taeki5®	73
01-027	A4		4442D	XS-XXL	Taeki5®	74
01-032*	A4		444XD	One Size	Taeki5®	75
02-008	A2		4242B	XS-XXL	Basetek®	77
02-013	A3		4442C	XS-XXXL	Basetek®	78
02-014	A4		4444D	XS-XXXL	Basetek®	79
02-015	A6		4X44E	XXS-XXL	Basetek®	80
02-023	A3		4442C	XS-XXXL	Basetek®	81
02-024	A4		4444D	XS-XXL	Basetek®	82
02-025	A6		4X44E	XS-XXXL	Basetek®	83
02-025HV	A6		4X44E	S-XXL	Basetek®	84
02-027	A5		444XF	XS-XXL	Basetek®	85
02-028	A4	3	4X41D	XS-XXL	Basetek®	86
02-029	A5	2	4X42E	XS-XXL	Basetek®	87
02-030	A3		4342	XS-XXL	Basetek®	88
02-040	A4		4544	XS-XXL	Basetek®	89
02-060*	A3		344XC	One Size	Basetek®	90
02-060T*	A3		344XC	One Size	Basetek®	91
02-061T*	A3		344XC	One Size	Basetek®	92
02-062T*	A3		344XC	One Size	Basetek®	93
02-063T*	A3		344XC	One Size	Basetek®	94
04-001		3	4131	XS-XXL	Extraflex®	96
04-002		3	4131	XS-XXL	Extraflex®	97
04-005		3	4131	XS-XXL	Extraflex®	98
04-006			4121	XS-XXL	Extraflex®	99
04-007		3	4131	XS-XXL	Extraflex®	100
 04-011			2243	M-XXL	Extraflex®	101
 04-012			2243	M-XXL	Extraflex®	102
04-024			2122	XS-XXL	Extraflex®	103
04-200	A3		4232B	XS-XXL	Extraflex®	104
04-250	A2		4232B	XS-XXL	Extraflex®	105
04-300	A3	3	4442C	XXS-XXXL	Extraflex®	106
04-300HV	A3	3	4442C	XS-XXXL	Extraflex®	107
 04-311	A4		4443D	S-XXXL	Extraflex®	108
 04-312	A4		4443D	S-XXXL	Extraflex®	109
 04-314 	A4		4443D	M-XXL	Extraflex®	110
 04-321	A4		4443D	S-XXXL	Extraflex®	111
 04-322	A4		4443D	S-XXL	Extraflex®	112
04-350	A3		4442C	XS-XXL	Extraflex®	113
04-367	A3		4442C	S-XXL	Extraflex®	114
04-400	A4		4442D	XS-XXXL	Extraflex®	115
04-420HV	A4		4442D	XS-XXL	Extraflex®	116

* = Denotes product is a sleeve

 = Denotes product is cold protection

 = Denotes product is impact protection

AG PART #	ANSI CUT	ANSI ABR	EN388	SIZES	RANGE	PAGE
04-500	A5		4X43E	XS-XXL	Extraflex®	117
04-545	A5		4443E	S-XXXL	Extraflex®	118
04-550	A5	4	4342E	XS-XXL	Extraflex®	119
05-003			3101X	XS-XXL	Chemiflex®	121
06-007			4131	XS-XXL	Duty	123
06-008			4121	XS-XXL	Duty	124
06-009			4121	XS-XXL	Duty	125
06-010			4131	XS-XXL	Duty	126
06-012			4131	XS-XXL	Duty	127
06-018-14			4121	XL	Duty	128
06-019			2143	S-XXL	Duty	129
06-021			2121	S-XXL	Duty	130
07-002	A9, A4		4X44F	S-XXL	Perfotek®	132
14-001HV		3	4131	XS-XXL	Extraflex® Plus	134
 14-007HV		3	4131	XS-XXL	Extraflex® Plus	135
14-300	A3	4	4X42C	XS-XXL	Extraflex® Plus	136
14-400	A4	6	4444D	XS-XXL	Extraflex® Plus	137
14-406TVC*	A4	4	2X4XD	One Size	Extraflex® Plus	138
14-420	A4	6	4444D	XS-XXL	Extraflex® Plus	139
14-500	A5	5	4444E	XS-XXL	Extraflex® Plus	140
14-520	A5	5	4444E	XS-XXL	Extraflex® Plus	141
14-600	A6	4	4X44F	XS-XXL	Extraflex® Plus	142
14-606TVC*	A6	4	2X4XF	One Size	Extraflex® Plus	143
14-620	A6	4	4X44F	XS-XXL	Extraflex® Plus	144
14-700	A7	4	4X44F	XS-XXL	Extraflex® Plus	145
14-720	A7	4	4X44F	XS-XXL	Extraflex® Plus	146
20-049	A4	6	2X4XD	XS-XXL	Kyorene Pro® - FS	148
20-059	A5	6	2X4XE	XS-XXL	Kyorene Pro® - FS	149
20-069	A6	5	2X4XF	XS-XXL	Kyorene Pro® - FS	150
20-089	A8	5	2X4XF	XS-XXL	Kyorene Pro® - FS	151
20-099	A9	6	2X4XF	XS-XXL	Kyorene Pro® - FS	152

* = Denotes product is a sleeve

 = Denotes product is cold protection

 = Denotes product is impact protection



ARMOR GUYS

10990 Wilshire Blvd. Suite 1410, Los Angeles, CA 90024



Phone: 1 (310) 504-1380
Customer Service: 1 (877) 293-0709

www.armorguys.com
contact@armorguys.com